



Docket 86171SLP
Customer No. 01333

IFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
David P. Trauernicht, et al

STORAGE PHOSPHOR READOUT
SYSTEM USING RESONANT
MICROCAVITY CONVERTER

Serial No. US 10/718,429

Filed 20 November 2003

Group Art Unit: 2884

Examiner: David S. Baker

I hereby certify that this correspondence is being
deposited today with the United States Postal
Service as first class mail in an envelope addressed
to Commissioner For Patents, P.O. Box 1450,
Alexandria, VA 22313-1450.

Laurie A. Wurtz

Doc #

Commissioner for Patents
P.O. Box 1450
Alexandria, VA. 22313-1450

Transmitted herewith is an amendment in the above-identified application:

- ☒ No additional fee is required.
☐ The fee has been calculated as shown below:

	(Col. 1)		(Col. 2)	(Col. 3)	OTHER THAN A SMALL ENTITY	
	CLAIMS REMAINING AFTER AMENDMENT		* HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDITIONAL FEE
TOTAL	13	MINUS	20	0	X 50	\$0
INDEP	1	MINUS	3	0	X 200	\$0
FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM					+ 360	\$ 0
					TOTAL	\$0

* The "Highest Number Previously Paid For" (Total or Independent) is the highest number found from the equivalent box in Col. 1 of a prior amendment or the number of claims originally filed.

☐ Please charge American Express Credit Card (see attached form PTO-2038) \$0.

A duplicate copy of this sheet is enclosed

☒ The Commissioner is hereby authorized to charge payment of
the following fees associated with this communication or credit any overpayment to Eastman Kodak
Company Deposit Account No. 05-0225

A duplicate copy of this sheet is enclosed

☒ Any additional filing fees required under 37 CFR 1.16.

☒ Any patent application processing fees under 37 CFR 1.17.

(For Extensions of Time and other Petitions to the Assistant Commissioner)

Susan L. Parulski/law
Telephone: 585-477-4027
Facsimile: 585-477-4646

Susan L. Parulski
Attorney for Applicants
Registration No. 39,324

If the Examiner is unable to reach the Applicant(s) Attorney at the telephone number provided, the Examiner is requested to communicate with Eastman Kodak Company Patent Operations at (585) 477-4656.



86171SLP
Customer No. 01333

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

David Trauernicht et al.

STORAGE PHOSPHOR READOUT
SYSTEM USING RESONANT
MICROACTIVITY CONVERTER

Serial No. 10/718,429

Filed : 20 November 2003

Group Art Unit: 2884

Examiner: David S. Baker

I hereby certify that this correspondence is being deposited
today with the United States Postal Service as first class
mail in an envelope addressed to Commissioner for
Patents, Alexandria, VA 22313-1450

Laurie A. Wurtz
Laurie A. Wurtz

June 14, 2006
Date

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

AMENDMENT

In response to the office action mailed December 14, 2005, please
amend the above-identified application as set forth below:

Amendments to the Claims are reflected in the listing of claims, which begins on
page 2 of this paper.

Remarks/Arguments begin on page 5 of this paper.